

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28805	(node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L2	353	(node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L3	7	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) same (TTL or (Time adj to adj live))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L4	38	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) and (TTL or (Time adj to adj live))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L5	353	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address)))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L6	81	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) and hop	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L7	161	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) and hop	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L8	52	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) and (TTL or (Time adj to adj live))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09

EAST Search History

L9	44	((value or cost or number) near5 ((TTL or (Time adj To adj Live))) near9 ((hop or node) adj count))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L10	46	((value or cost or number) near5 ((TTL or (Time adj To adj Live))) near29 ((hop or node) adj count))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L11	441	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L12	0	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) near20 ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L13	0	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) same ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L14	0	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L15	10	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) and (TTL or (Time adj To adj Live))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L16	48	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) and "709"/\$	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L17	160	((geographic or global) near7 (location or position or area)) near9 (node)) near20 (identif\$7 or find\$5 or discover\$3)	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L18	36955	(node) near20 (identif\$7 or find\$5 or discover\$3)	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L19	2	((node or junction) near20 (identif\$7 or find\$5 or discover\$3)) same ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09

EAST Search History

L20	14	((node or junction) near20 (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L21	23	((node or junction) same (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L22	137	((node or junction) same (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (hops))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L23	46	((node or junction) adj (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (hops))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L24	3	((node or junction) adj (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (hops)) and TTL	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L25	0	("9496477").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/06 20:09
L26	1	("6496477").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/06 20:09
L27	18	((geographic or global) near7 (location or position or area)) same (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) and ((TTL or (Time adj To adj Live) near5 (value or number))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L28	33	((geographic or global) near7 (location or position or area)) same (node or point or junction)) same (identif\$7 or find\$5 or discover\$3)) and ((TTL or (Time adj To adj Live) near5 (value or number))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L29	2	("5257387") or ("5634072")).PN.	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L30	1	("5941947").PN.	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28805	(node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L2	353	(node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L3	7	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) same (TTL or (Time adj to adj live))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L4	38	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) and (TTL or (Time adj to adj live))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L5	353	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address)))	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L6	81	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) and hop	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L7	161	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) and hop	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L8	52	((node or server or router or junction) near15 ((data or info\$5 or signal) near7 (packet or block or bytes)) same (NID or (Network adj Identifier) or (object adj Identifier) or (MAC adj address))) and (TTL or (Time adj to adj live))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09

EAST Search History

L9	44	((value or cost or number) near5 ((TTL or (Time adj To adj Live))) near9 ((hop or node) adj count))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L10	46	((value or cost or number) near5 ((TTL or (Time adj To adj Live))) near29 ((hop or node) adj count))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L11	441	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L12	0	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) near20 ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L13	0	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) same ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L14	0	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L15	10	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) and (TTL or (Time adj To adj Live))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L16	48	((geographic or global) near7 (location or position or area)) near9 (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) and "709"/\$	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L17	160	((geographic or global) near7 (location or position or area)) near9 (node)) near20 (identif\$7 or find\$5 or discover\$3)	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L18	36955	(node) near20 (identif\$7 or find\$5 or discover\$3)	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L19	2	((node or junction) near20 (identif\$7 or find\$5 or discover\$3)) same ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09

EAST Search History

L20	14	((node or junction) near20 (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L21	23	((node or junction) same (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (TTL or (Time adj To adj Live)))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L22	137	((node or junction) same (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (hops))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L23	46	((node or junction) adj (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (hops))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L24	3	((node or junction) adj (identif\$7 or find\$5 or discover\$3)) and ((use\$7 or apply\$5 or process\$5) adj (hops)) and TTL	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L25	0	("9496477").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/06 20:09
L26	1	("6496477").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/06 20:09
L27	18	((geographic or global) near7 (location or position or area)) same (node or point or junction)) near20 (identif\$7 or find\$5 or discover\$3)) and ((TTL or (Time adj To adj Live) near5 (value or number))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L28	33	((geographic or global) near7 (location or position or area)) same (node or point or junction)) same (identif\$7 or find\$5 or discover\$3)) and ((TTL or (Time adj To adj Live) near5 (value or number))	US-PGPUB; USPAT	OR	ON	2006/12/06 20:09
L29	2	("5257387") or ("5634072")).PN.	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09
L30	1	("5941947").PN.	US-PGPUB; USPAT	OR	OFF	2006/12/06 20:09